

Date Printed: 09/27/2005  
Product Code(s): 6336, 6338

Page: 1

---

### 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name: Scuff Stuff

Product Code(s): 6336, 6338

Manufacturer/Supplier: TRANSTAR AUTOBODY TECHNOLOGIES  
2040 Heiserman Dr.  
Brighton, MI, 48114, USA

24 Hour Emergency Phone(s): 800-424-9300 (CHEMTREC), 613-996-6666 (CANUTEC)

Business Phone: 810-220-3000

Product Use: Cleaning Agent

MSDS Prepared By: Kent Lewis

---

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS Number	% by Weight
Nepheline Syenite	37244-96-5	40- 65%
Kaolin Clay	1332-58-7	5 - 10%
Polyethylene Glycol	25322-68-3	0 - 5%
Glycerine	56-81-5	0 - 5%
Citrus Terpenes	5989-27-5	0 - 5%
Ethoxylated Alcohol, C12-C15	68131-39-5	0 - 5%

See Section 15. Regulatory Information for code descriptions  
Weight percent (%) of 0.0 means chemical is in trace amounts.

---

### 3. HAZARDS IDENTIFICATION

This product is nonhazardous and represents no hazards to health or the environment when used as directed.

HMIS Hazard Ratings: Health =1 , Flammability =1, Chemical Reactivity =0

Note: HMIS ratings involve data and interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this MSDS must be considered.

Potential Health Effects

Eyes: Minimal to slight irritation to the eyes.

Skin: Slight irritation to the skin.

Inhalation: Minimal to slight irritation to the respiratory system. Dust from sanding may contain respirable size particles which can be irritating or damaging to the respiratory tract and lungs.

Date Printed: 09/27/2005  
Product Code(s): 6336, 6338

Page: 2

---

Ingestion: Slight irritation to the digestive tract.

---

#### 4. FIRST AID MEASURES

Seek professional medical attention for all over-exposures and/or persistent problems.

Eyes Contact: Flush eyes with clean water for a minimum of 15 minutes. Seek medical attention if problems persist.

Skin Contact: Wash exposed area thoroughly with soap and water.

Inhalation: Remove person from area to fresh air. If breathing difficulty persists, seek medical attention.

Ingestion: DO NOT INDUCE VOMITTING. Seek immediate medical attention.

---

#### 5. FIRE FIGHTING MEASURES

##### Flammable Properties

Flash Point: >212 Deg F, 100 Deg C Method: PMCC  
Upper Explosive Limit (UEL): 6.1  
Lower Explosive Limit (LEL): 0.7  
Autoignition Temperature: No data

Extinguishing Media: Foam, Alcohol Foam, CO2, Dry Chemical, Water Fog, Other.

Special Firefighting Procedures: Full fire fighter equipment including SCBA should be worn to avoid skin contact and inhalation of concentrated vapors. Minimize skin exposure. Highly toxic fumes may be generated by thermal decomposition.

Hazardous Combustion Products: Carbon monoxide, carbon dioxide, oxides of nitrogen.

Unusual Fire and Explosion Hazards: No unusual fire or explosion hazards anticipated.

---

#### 6. ACCIDENTAL RELEASE MEASURES

For large spills or transportation accidents involving release of this product, contact the Emergency Response Center: 800-424-9300.

This material is not flammable or combustible. A spill of this material should be treated with care. Eliminate all sources of ignition, provide adequate ventilation, dike spill area and add absorbent earth or sawdust to spilled liquid. Sweep up and dispose of in appropriate containers in accordance with Federal, State and/or Local regulations. Sweep up product and transfer to an appropriate container for disposal.

7. HANDLING AND STORAGE

Keep away from heat and flames.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name/Exposure Limits	CAS Number
Nepheline Syenite OSHA PEL PNOG 5mg/m3	37244-96-5
Kaolin Clay OSHA PEL: 5 mg/m3, ACGIH TLV: 2 mg/m3	1332-58-7
Polyethylene Glycol	25322-68-3
Glycerine OSHA PEL: 10 mg/m3, ACGIH TLV: 10 mg/m3	56-81-5
Citrus Terpenes Not Available	5989-27-5
Ethoxylated Alcohol, C12-C15	68131-39-5

Engineering Controls: Use with adequate ventilation. If normal ventilation is not adequate use exhaust fan.

Respiratory Protection: Utilize engineering controls to reduce emission levels below the time weighted exposure limits (ACGIH TLV & OSHA PEL). Wear an approved respirator if exposure limits are above the exposure limits listed above.

Eye Protection: Safety glasses.

Skin Protection: Use impermeable chemical gloves for skin protection.

Safe Work Practices: Eye washes and safety showers in the workplace are recommended. Avoid contact with skin and eyes. Avoid breathing vapors. Wash hands thoroughly after using and before eating, drinking or smoking. Smoking in area where this material is used should be strictly prohibited. Keep food and drink away from material and from area where material is being used.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Form: Homogeneous mixture  
 Physical State: Paste  
 Color: White  
 Odor: Orange fragrance  
 Odor Threshold: No Data  
 Specific Gravity (water=1) 1.52  
 Vapor Pressure: No data  
 Vapor Density: Heavier than air  
 Material VOC: 0.67 lb/gal 80 g/l  
 Coating VOC: 1.48 lb/gal 178 g/l

Date Printed: 09/27/2005  
Product Code(s): 6336, 6338

Page: 4

---

Evaporation Rate: Slower than Butyl Acetate  
Boiling Point: 310 - 332 F  
Melting Point: No data  
Freezing Point: No data  
Viscosity at Ambient Temperature: No data  
Solubility in Water: Soluble  
Octanol/Water Partition Coefficient: No data  
pH: No data

---

#### 10. STABILITY AND REACTIVITY

Stability: Stable

Incompatibility: Strong acids, strong bases and strong oxidizing agents.

Hazardous Polymerization: Will not occur.

---

#### 11. TOXICOLOGICAL INFORMATION

Effects of Exposure:

ACUTE:

INHALATION - Odor may be offensive

EYE CONTACT - Mild irritation with redness and tearing.

SKIN CONTACT - Mild irritation with redness, itching, swelling possible.

INGESTION - May cause mild gastrointestinal irritation, vomiting, nausea, & diarrhea

CHRONIC:

No chronic health effects known.

Acute Toxicity Data: No data.

Carcinogenicity: NTP -No, IARC -No, OSHA -No

This product has not been tested for carcinogenic effects. Some chemicals in this product may be identified by NTP, IARC and/or OSHA as carcinogenic, indicated above as "Yes". No further information available.

Teratology: No data.

Reproduction: No data.

Mutagenicity: No data.

---

#### 12. ECOLOGICAL INFORMATION

No data.

---

#### 13. DISPOSAL CONSIDERATIONS

Date Printed: 09/27/2005  
Product Code(s): 6336, 6338

Page: 5

---

This product when disposed represents a non-hazardous waste, as identified in 40CFR261. It is the responsibility of each waste generator to identify the proper classification of their waste streams.

---

#### 14. TRANSPORT INFORMATION

The following transportation information is provided based on Transtar Autobody Technologies interpretation of shipping regulations. Each shipper is responsible for identifying, naming, marking and labeling prior to offering for transport.

USA (DOT) Status: Not regulated

Water (IMDG) Status: Not regulated

Air (ICAO,IATA) Status: Not regulated

Canada (TDG) Status: Not regulated

---

#### 15. REGULATORY INFORMATION

The information listed in this section is not all inclusive of all regulations for this product or the chemical components of this product.

##### US Federal Regulations

TSCA Status: All known major components of this product are listed on the TSCA Inventory and/or are otherwise in compliance with TSCA.

SARA 302 (EHS) Status: No EHS chemicals present.

SARA 311/312 Status: No hazards to Emergency Responders identified.

SARA 313 Status: \*\*\* No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present. \*\*\*

OSHA Status: This material meets the requirement of hazardous material and is subject to 29CFR1910.1200.

##### USA State Information

California Proposition 65: WARNING: This product contains chemical(s) known to the State of California to cause cancer and birth defects or other reproductive harm.

Pennsylvania RtK Status: This material contains chemical(s) subject to notification under Pennsylvania Right to Know.

New Jersey RtK Status: This material contains chemical(s) subject to notification under New Jersey Right to Know.

Massachusetts RtK Status: This material contains chemical(s) subject

Date Printed: 09/27/2005  
Product Code(s): 6336, 6338

Page: 6

---

to notification under Massachusetts Right to Know.

Rhode Island RtK Status: This material contains chemical(s) subject to notification under Rhode Island Right to Know.

International Regulations

Canada

DSL Status: All known major components of this product are listed on the DSL Inventory and/or are otherwise in compliance with the DSL WHMIS: NA

EINECS Status: All components of this material are listed on the EINECS Inventory.

---

16. OTHER INFORMATION

To the best of our knowledge, the information contained herein is accurate, obtained from sources believed by Transtar Autobody Technologies to be accurate. As with all chemicals, KEEP AWAY FROM CHILDREN AND ANIMALS. FOR PROFESSIONAL USE ONLY. The hazard information contained herein is offered solely for the consideration of the user, subject to his own investigation and verification of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

---